

Malingering references in IAP (www.iapsych.com) Reference Database 9-22-09

- Aguerrevere, L. E., Greve, K. W., Bianchini, K. J., & Meyers, J. E. (2008). Detecting malingering in traumatic brain injury and chronic pain with an abbreviated version of the Meyers Index for the MMPI-2. Archives of Clinical Neuropsychology, *23*(7-8), 831-838.
- Alwes, Y. R., Clark, J. A., Berry, D. T. R., & Granacher, R. P. (2008). Screening for feigning in a civil forensic setting. Journal of Clinical and Experimental Neuropsychology, *30*(2), 133-140.
- Babikian, T., Boone, K. B., Lu, P., & Arnold, G. (2006). Sensitivity and specificity of various digit span scores in the detection of suspect effort. Clinical Neuropsychologist, *20*(1), 145-159.
- Backhaus, S. L., Fichtenberg, N. L., & Hanks, R. A. (2004). Detection of sub-optimal performance using a floor effect strategy in patients with traumatic brain injury. Clinical Neuropsychologist, *18*(4), 591-603.
- Bauer, L., OBryant, S. E., Lynch, J. K., McCaffrey, R. J., & Fisher, J. M. (2007). Examining the test of memory malingering trial 1 and word memory test immediate recognition as screening tools for insufficient effort. Assessment, *14*(3), 215-222.
- Bender, S. D., & Rogers, R. (2004). Detection of neurocognitive feigning: development of a multi-strategy assessment. Archives of Clinical Neuropsychology, *19*(1), 49-60.
- Boccaccini, M. T., Muffie, D. C., & Duncan, S. A. (2006). Screening for malingering in a criminal-forensic sample with the Personality Assessment Inventory. Psychological Assessment, *18*(4), 415-423.
- Booksh, R. L., Aubert, M. J., & Andrews, S. R. (2007). Should the retention trial of the Test of Memory Malingering be optional? A reply. Archives of Clinical Neuropsychology, *22*(1), 87-89.
- Boone, K. B. (2009). The Need For Continuous and Comprehensive Sampling of Effort/Response Bias During Neuropsychological Examinations. Clinical Neuropsychologist, *23*(4), 729-741.
- Bordini, E. J., Chaknis, M. M., EkmanTurner, R. M., & Perna, R. B. (2002). Advances and issues in the diagnostic differential of malingering versus brain injury. Neurorehabilitation, *17*(2), 93-104.
- Bowden, S. C., Shores, E. A., & Mathias, J. L. (2006). Does effort suppress cognition after traumatic brain injury? A re-examination of the evidence for the Word Memory Test. Clinical Neuropsychologist, *20*(4), 858-872.
- Brennan, A., Meyer, S., David, E., Pella, R., Hill, B., & Gouvier, W. D. (2009). The Vulnerability to Coaching across Measures of Effort. Clinical Neuropsychologist, *23*(2), 314-328.
- Brennan, A., Meyer, S., David, E., Pella, R., Hill, B., & Gouvier, W. D. (2009). The Vulnerability to Coaching across Measures of Effort. Clinical Neuropsychologist, *23*(2), 314-328.
- Chafetz, M. D. (2008). Malingering on the social security disability consultative exam: Predictors and base rates. Clinical Neuropsychologist, *22*(3), 529-546.
- Chafetz, M. D., Abrahams, J. P., & Kohlmaier, J. (2007). Malingering on the social security disability consultative exam: A new rating scale. Archives of Clinical Neuropsychology, *22*(1), 1-14.
- Curtis, K. L., Greve, K. W., Bianchini, K. J., & Brennan, A. (2006). California verbal learning test indicators of malingered neurocognitive dysfunction - Sensitivity and specificity in traumatic brain injury. Assessment, *13*(1), 46-61.

- Curtis, K. L., Thompson, L. K., Greve, K. W., & Bianchini, K. J. (2008). Verbal fluency indicators of malingering in traumatic brain injury: Classification accuracy in known groups. Clinical Neuropsychologist, *22*(5), 930-945.
- DAmato, C. P., & Denney, R. L. (2008). The diagnostic utility of the Rarely Missed Index of the Wechsler Memory Scale-Third Edition in detecting response bias in an adult male incarcerated setting. Archives of Clinical Neuropsychology, *23*(5), 553-561.
- Dean, A. C., Victor, T. L., Boone, K. B., & Arnold, G. (2008). The relationship of IQ to effort test performance. Clinical Neuropsychologist, *22*(4), 705-722.
- Dean, A. C., Victor, T. L., Boone, K. B., Philpott, L. M., & Hess, R. A. (2009). DEMENTIA AND EFFORT TEST PERFORMANCE. Clinical Neuropsychologist, *23*(1), 133-152.
- Dearth, C. S., Berry, D. T. R., Vickery, C. D., Vagnini, V. L., Baser, R. E., Orey, S. A., & Cragar, D. E. (2005). Detection of feigned head injury symptoms on the MMPI-2 in head injured patients and community controls. Archives of Clinical Neuropsychology, *20*(1), 95-110.
- Delain, S. L., Stafford, K. P., & BenPorath, Y. S. (2003). Use of the TOMM in a criminal court forensic assessment setting. Assessment, *10*(4), 370-381.
- DenBoer, J. W., & Hall, S. (2007). Neuropsychological test performance of successful brain injury simulators. Clinical Neuropsychologist, *21*(6), 943-955.
- Dunn, T. M., Shear, P. K., Howe, S., & Ris, M. D. (2003). Detecting neuropsychological malingering: effects of coaching and information. Archives of Clinical Neuropsychology, *18*(2), 121-134.
- Efendov, A. A., Sellbom, M., & Bagby, R. M. (2008). The Utility and Comparative Incremental Validity of the MMPI-2 and Trauma Symptom Inventory Validity Scales in the Detection of Feigned PTSD. Psychological Assessment, *20*(4), 317-326.
- Elhai, J. D., Gold, S. N., Sellers, A. H., & Dorfman, W. I. (2001). The detection of malingered posttraumatic stress disorder with MMPI-2 fake bad indices. Assessment, *8*(2), 221-236.
- Erdal, K. (2004). The effects of motivation, coaching, and knowledge of neuropsychology on the simulated malingering of head injury. Archives of Clinical Neuropsychology, *19*(1), 73-88.
- Flowers, K. A., Bolton, C., & Brindle, N. (2008). Chance guessing in a forced-choice recognition task and the detection of malingering. Neuropsychology, *22*(2), 273-277.
- Frazier, T. W., Youngstrom, E. A., Naugle, R. I., Haggerty, K. A., & Busch, R. M. (2007). The latent structure of cognitive symptom exaggeration on the Victoria Symptom Validity Test. Archives of Clinical Neuropsychology, *22*(2), 197-211.
- Frederick, R. I., & Bowden, S. C. (2009). Evaluating Constructs Represented by Symptom Validity Tests in Forensic Neuropsychological Assessment of Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, *24*(2), 105-122.
- Frederick, R. I., & Bowden, S. C. (2009). The Test Validation Summary. Assessment, *16*(3), 215-236.
- Frederick, R. I., & Speed, F. M. (2007). On the interpretation of below-chance responding in forced-choice tests. Assessment, *14*(1), 3-11.
- Gervais, R. O., BenPorath, Y. S., Wygant, D. B., & Green, P. (2007). Development and validation of a response bias scale (RBS) for the MMPI-2. Assessment, *14*(2), 196-208.

- Greiffenstein, M. F., & Baker, W. J. (2008). Validity testing in dually diagnosed post-traumatic stress disorder and mild closed head injury. Clinical Neuropsychologist, *22*(3), 565-582.
- Greiffenstein, M. F., Baker, W. J., Axelrod, B., Peck, E. A., & Gervais, R. (2004). The fake bad scale and MMPI-2 F-Family in detection of implausible psychological trauma claims. Clinical Neuropsychologist, *18*(4), 573-590.
- Greiffenstein, M. F., Greve, K. W., Bianchini, K. J., & Baker, W. J. (2008). Test of Memory Malingering and Word Memory Test: A new comparison of failure concordance rates. Archives of Clinical Neuropsychology, *23*(7-8), 801-807.
- Greub, B. L., & Suhr, J. A. (2006). The validity of the letter memory test as a measure of memory malingering: Robustness to coaching. Archives of Clinical Neuropsychology, *21*(4), 249-254.
- Greve, K., Heinly, M., Bianchini, K., & Love, J. (2009). Malingering detection with the Wisconsin Card Sorting Test in mild traumatic brain injury. Clinical Neuropsychologist, *23*(2), 343-362.
- Greve, K., Heinly, M., Bianchini, K., & Love, J. (2009). Malingering detection with the Wisconsin Card Sorting Test in mild traumatic brain injury. Clinical Neuropsychologist, *23*(2), 343-362.
- Greve, K. W., & Bianchini, K. J. (2007). Choosing to know less: A response to Booksh, Aubert, and Andrews. Archives of Clinical Neuropsychology, *22*(2), 231-234.
- Greve, K. W., & Bianchini, K. J. (2006). Classification accuracy of the Portland Digit Recognition Test in traumatic brain injury: Results of a known-groups analysis. Clinical Neuropsychologist, *20*(4), 816-830.
- Greve, K. W., Bianchini, K. J., Black, F. W., Heinly, M. T., Love, J. M., Swift, D. A., & Ciota, M. (2006). Classification accuracy of the Test of Memory Malingering in persons reporting exposure to environmental and industrial toxins: Results of a known-groups analysis. Archives of Clinical Neuropsychology, *21*(5), 439-448.
- Greve, K. W., Bianchini, K. J., Etherton, J. L., Ord, J. S., & Curtis, K. L. (2009). Detecting Malingered Pain-Related Disability: Classification Accuracy of the Portland Digit Recognition Test. Clinical Neuropsychologist, *23*(5), 850-869.
- Greve, K. W., Bianchini, K. J., Heinly, M. T., Love, J. M., Swift, D. A., & Ciota, M. (2008). Classification accuracy of the Portland digit recognition test in persons claiming exposure to environmental and industrial toxins. Archives of Clinical Neuropsychology, *23*(3), 341-350.
- Greve, K. W., Binder, L. M., & Bianchini, K. J. (2009). [image omitted] Rates of Below-Chance Performance in Forced-Choice Symptom Validity Tests. Clinical Neuropsychologist, *23*(3), 534-544.
- Greve, K. W., Curtis, K. L., Bianchini, K. J., & Ord, J. S. (2009). Are the Original and Second Edition of the California Verbal Learning Test Equally Accurate in Detecting Malingering? Assessment, *16*(3), 237-248.
- Greve, K. W., Springer, S., Bianchini, K. J., Black, F. W., Heinly, M. T., Love, J. M., Swift, D. A., & Ciota, M. A. (2007). Malingering in toxic exposure - Classification accuracy of reliable digit span and WAIS-III Digit Span scaled scores. Assessment, *14*(1), 12-21.
- Haggerty, K. A., Frazier, T. W., Busch, R. M., & Naugle, R. I. (2007). Relationships among Victoria Symptom Validity Test indices and Personality Assessment Inventory validity scales in a large clinical sample. Clinical Neuropsychologist, *21*(6), 917-928.
- Hawes, S. W., & Boccaccini, M. T. (2009). Detection of Overreporting of Psychopathology on the Personality Assessment Inventory: A Meta-Analytic Review. Psychological Assessment, *21*(1), 112-124.

- Heinly, M. T., Greve, K. W., Bianchini, K. J., Love, J. M., & Brennan, A. (2005). WAIS Digit Span-based indicators of malingered neurocognitive dysfunction - Classification accuracy in traumatic brain injury. Assessment, *12*(4), 429-444.
- Henry, G. K., Heilbronner, R. L., Mittenberg, W., Enders, C., & Stanczak, S. R. (2008). Comparison of the Lees-Haley Fake Bad Scale, Henry-Heilbronner Index, and restructured clinical scale 1 in identifying noncredible symptom reporting. Clinical Neuropsychologist, *22*(5), 919-929.
- Hilsabeck, R. C., & Gouvier, W. D. (2005). Detecting simulated memory impairment: Further validation of the Word Completion Memory Test (WCMT). Archives of Clinical Neuropsychology, *20*(8), 1025-1041.
- Hilsabeck, R. C., LeCompte, D. C., Marks, A. R., & Grafman, J. (2001). The Word Completion Memory Test (WCMT): a new test to detect malingered memory deficits. Archives of Clinical Neuropsychology, *16*(7), 669-677.
- Holmquist, L. A., & Wanlass, R. L. (2002). A multidimensional approach towards malingering detection. Archives of Clinical Neuropsychology, *17*(2), 143-156.
- Hook, J. N., Marquine, M. J., & Hoelzle, J. B. (2009). Repeatable Battery for the Assessment of Neuropsychological Status Effort Index Performance in a Medically Ill Geriatric Sample. Archives of Clinical Neuropsychology, *24*(3), 231-235.
- Inman, T. H., & Berry, D. T. R. (2002). Cross-validation of indicators of malingering - A comparison of nine neuropsychological tests, four tests of malingering, and behavioral observations. Archives of Clinical Neuropsychology, *17*(1), 1-23.
- Iverson, G. L., LePage, J., Koehler, B. E., Shojania, K., & Badii, M. (2007). Test of memory malingering (TOMM) scores are not affected by chronic pain or depression in patients with fibromyalgia. Clinical Neuropsychologist, *21*(3), 532-546.
- Johnstone, L., & Cooke, D. J. (2003). Feigned intellectual deficits on the Wechsler Adult Intelligence Scale-Revised. British Journal of Clinical Psychology, *42*, 303-318.
- Lange, R. T., Iverson, G. L., Sullivan, K., & Anderson, D. (2006). Suppressed working memory on the WMS-III as a marker for poor effort. Journal of Clinical and Experimental Neuropsychology, *28*(3), 294-305.
- Larrabee, G. J. (2008). Aggregation across multiple indicators improves the detection of malingering: Relationship to likelihood ratios. Clinical Neuropsychologist, *22*(4), 666-679.
- Larrabee, G. J. (2009). Clinical neuropsychology in the criminal forensic setting, by R.L. Denney, J.P. Sullivan. Clinical Neuropsychologist, *23*(4), 746-753.
- Larrabee, G. J. (2009). MALINGERING SCALES FOR THE CONTINUOUS RECOGNITION MEMORY TEST AND THE CONTINUOUS VISUAL MEMORY TEST. Clinical Neuropsychologist, *23*(1), 167-180.
- Larrabee, G. J., Millis, S. R., & Meyers, J. E. (2009). 40 Plus or Minus 10, a New Magical Number: Reply to Russell. Clinical Neuropsychologist, *23*(5), 841-849.
- Loring, D. W., Larrabee, G. J., Lee, G. P., & Meador, K. J. (2007). Victoria symptom validity test performance in a heterogeneous clinical sample. Clinical Neuropsychologist, *21*(3), 522-531.
- Lu, P. H., Boone, K. B., Jimenez, N., & Razani, J. (2004). Failure to inhibit the reading response on the Stroop Test: A pathognomonic indicator of suspect effort. Journal of Clinical and Experimental Neuropsychology, *26*(2), 180-189.

- Marshall, M. B., & Bagby, R. M. (2006). The incremental validity and clinical utility of the MMPI-2 Infrequency Posttraumatic Stress Disorder Scale. Assessment, *13*(4), 417-429.
- McCarter, R. J., Walton, N. H., Brooks, D. N., & Powell, G. E. (2009). Effort Testing in Contemporary UK Neuropsychological Practice. Clinical Neuropsychologist, *23*(6), 1050-1066.
- Merckelbach, H., & Smith, G. P. (2003). Diagnostic accuracy of the Structured Inventory of Malingered Symptomatology (SIMS) in detecting instructed malingering. Archives of Clinical Neuropsychology, *18*(2), 145-152.
- Meyers, J. E., Millis, S. R., & Volkert, K. (2002). A validity index for the MMPI-2. Archives of Clinical Neuropsychology, *17*(2), 157-169.
- Miller, L. (2001). Not just malingering: Syndrome diagnosis in traumatic brain injury litigation. Neurorehabilitation, *16*(2), 109-122.
- Morel, K. R. (2008). Comparison of the morel emotional numbing test for posttraumatic stress disorder to the word memory test in neuropsychological evaluations. Clinical Neuropsychologist, *22*(2), 350-362.
- Nagle, A. M., Everhart, D. E., Durham, T. W., McCammon, S. L., & Walker, M. (2006). Deception strategies in children: Examination of forced choice recognition and verbal learning and memory techniques. Archives of Clinical Neuropsychology, *21*(8), 777-785.
- Nelson, N. W., Parsons, T. D., Grote, C. L., Smith, C. A., & Sisung, J. R. (2006). The MMPI-2 fake bad scale: Concordance and specificity of true and estimated scores. Journal of Clinical and Experimental Neuropsychology, *28*(1), 1-12.
- Nelson, N. W., Sweet, J. J., & Demakis, G. J. (2006). Meta-analysis of the MMPI-2 fake bad scale: Utility in forensic practice. Clinical Neuropsychologist, *20*(1), 39-58.
- Neudecker, J. J., & Skeel, R. L. (2009). Development of a Novel Malingering Detection Method Involving Multiple Detection Strategies. Archives of Clinical Neuropsychology, *24*(1), 59-70.
- Ord, J. S., Greve, K. W., & Bianchini, K. J. (2008). Using the Wechsler Memory Scale-III to detect malingering in mild traumatic brain injury. Clinical Neuropsychologist, *22*(4), 689-704.
- Powell, M. R., Gfeller, J. D., Hendricks, B. L., & Sharland, M. (2004). Detecting symptom- and test-coached simulators with the Test of Memory Malingering. Archives of Clinical Neuropsychology, *19*(5), 693-702.
- Quinn, C. A. (2003). Detection of malingering in assessment of adult ADHD. Archives of Clinical Neuropsychology, *18*(4), 379-395.
- Ray, C. L. (2009). The Importance of Using Malingering Screeners in Forensic Practice. Journal of Forensic Psychology Practice, *9*(2), 138-146.
- Reicker, L. I. (2008). The ability of reaction time tests to detect simulation: An investigation of contextual effects and criterion scores. Archives of Clinical Neuropsychology, *23*(4), 419-431.
- Rogers, R., Jackson, R. L., Sewell, K. W., & Salekin, K. L. (2005). Detection strategies for malingering - A confirmatory factor analysis of the SIRS. Criminal Justice and Behavior, *32*(5), 511-525.
- Rogers, R., Sewell, K. W., Martin, M. A., & Vitacco, M. J. (2003). Detection of feigned mental disorders - A meta-analysis of the MMPI-2 and malingering. Assessment, *10*(2), 160-177.
- Rohling, M. L., Green, P., Allen, L. M., & Iverson, G. L. (2002). Depressive symptoms and neurocognitive test scores in patients passing symptom validity tests. Archives of Clinical Neuropsychology, *17*(3), 205-222.

- Ruocco, A. C., SwirskySacchetti, T., Chute, D. L., Mandel, S., Platek, S. M., & Zillmer, E. A. (2008). Distinguishing between neuropsychological malingering and exaggerated psychiatric symptoms in a neuropsychological setting. Clinical Neuropsychologist, *22*(3), 547-564.
- Sharland, M. J., & Gfeller, J. D. (2007). A survey of neuropsychologists' beliefs and practices with respect to the assessment of effort. Archives of Clinical Neuropsychology, *22*(2), 213-223.
- Shum, D. H. K., OGorman, J. G., & Alpar, A. (2004). Effects of incentive and preparation time on performance and classification accuracy of standard and malingering-specific memory tests. Archives of Clinical Neuropsychology, *19*(6), 817-823.
- Silverberg, N. D., Hanks, R. A., Buchanan, L., Fichtenberg, N., & Millis, S. R. (2008). Detecting response bias with performance patterns on an expanded version of the controlled oral word association test. Clinical Neuropsychologist, *22*(1), 140-157.
- Simms, L. J., & Clark, L. A. (2001). Detection of deception on the schedule for nonadaptive and adaptive personality: Validation of the validity scales. Assessment, *8*(3), 251-266.
- Steffan, J. S., Clopton, J. R., & Morgan, R. D. (2003). An MMPI-2 scale to detect malingered depression (Md scale). Assessment, *10*(4), 382-392.
- Steffan, J. S., Kroner, D. G., & Morgan, R. D. (2007). Effect of symptom information and intelligence in dissimulation - An examination of faking response styles by inmates on the basic personality inventory. Assessment, *14*(1), 22-34.
- Strauss, E., Slick, D. J., LevyBencheton, J., Hunter, M., MacDonald, S. W. S., & Hultsch, D. F. (2002). Intraindividual variability as an indicator of malingering in head injury. Archives of Clinical Neuropsychology, *17*(5), 423-444.
- Suhr, J., Hammers, D., DobbinsBuckland, K., Zimak, E., & Hughes, C. (2008). The relationship of malingering test failure to self-reported symptoms and neuropsychological findings in adults referred for ADHD evaluation. Archives of Clinical Neuropsychology, *23*(5), 521-530.
- Suhr, J. A. (2002). Malingering, coaching, and the serial position effect. Archives of Clinical Neuropsychology, *17*(1), 69-77.
- Sullivan, K., Deffenti, C., & Keane, B. (2002). Malingering on the RAVLT Part II. Detection strategies. Archives of Clinical Neuropsychology, *17*(3), 223-233.
- Thomas, M. L., Lanyon, R. I., & Millsap, R. E. (2009). Validation of Diagnostic Measures Based on Latent Class Analysis: A Step Forward in Response Bias Research. Psychological Assessment, *21*(2), 227-230.
- Toomey, J. A., Kucharski, L. T., & Duncan, S. (2009). The Utility of the MMPI-2 Malingering Discriminant Function Index in the Detection of Malingering A Study of Criminal Defendants. Assessment, *16*(1), 115-121.
- Toomey, J. A., Kucharski, L. T., & Duncan, S. (2009). The Utility of the MMPI-2 Malingering Discriminant Function Index in the Detection of Malingering A Study of Criminal Defendants. Assessment, *16*(1), 115-121.
- Tsushima, W. T., & Tsushima, V. G. (2001). Comparison of the Fake Bad Scale and other MMPI-2 validity scales with personal injury litigants. Assessment, *8*(2), 205-212.

- Vagnini, V. L., Berry, D. T. R., Clark, J. A., & Jiang, Y. (2008). New measures to detect malingered neurocognitive deficit: Applying reaction time and event-related potentials. Journal of Clinical and Experimental Neuropsychology, *30*(7), 766-776.
- Vagnini, V. L., Sollman, M. J., Berry, D. T. R., Granacher, R. P., Clark, J. A., Burton, R., O'Brien, M., Bacon, E., & Saier, J. (2006). Known-groups cross-validation of the letter memory test in a compensation-seeking mixed neurologic sample. Clinical Neuropsychologist, *20*(2), 289-304.
- Vickery, C. D., Berry, D. T. R., Dearth, C. S., Vagnini, V. L., Baser, R. E., Cragar, D. E., & Orey, S. A. (2004). Head injury and the ability to feign neuropsychological deficits. Archives of Clinical Neuropsychology, *19*(1), 37-48.
- Victor, T., Boone, K., Serpa, J. G., Buehler, J., & Ziegler, E. (2009). [image omitted]Interpreting the Meaning of Multiple Symptom Validity Test Failure. Clinical Neuropsychologist, *23*(2), 297-313.
- Victor, T., Boone, K., Serpa, J. G., Buehler, J., & Ziegler, E. (2009). [image omitted]Interpreting the Meaning of Multiple Symptom Validity Test Failure. Clinical Neuropsychologist, *23*(2), 297-313.
- Viglione, D. J., Wright, D. M., Dizon, N. T., Moynihan, J. E., DuPuis, S., & Pizitz, T. D. (2001). Evading detection on the MMPI-2: Does caution produce more realistic patterns of responding? Assessment, *8*(3), 237-250.
- VilarLopez, R., SantiagoRamajo, S., GomezRio, M., VerdejoGarcia, A., Llamas, J. M., & PerezGarcia, M. (2007). Detection of malingering in a Spanish population using three specific malingering tests. Archives of Clinical Neuropsychology, *22*(3), 379-388.
- Vitacco, M. J., Jackson, R. L., Rogers, R., Neumann, C. S., Miller, H. A., & Gabel, J. (2008). Detection strategies for malingering with the Miller Forensic Assessment of Symptoms Test - A confirmatory factor analysis of its underlying dimensions. Assessment, *15*(1), 97-103.
- Vitacco, M. J., Rogers, R., & Gabel, J. (2009). An Investigation of the ECST-R in Male Pretrial Patients Evaluating the Effects of Feigning on Competency Evaluations. Assessment, *16*(3), 249-257.
- Walters, G. D., Berry, D. T. R., Lanyon, R. I., & Murphy, M. P. (2009). Are Exaggerated Health Complaints Continuous or Categorical? A Taxometric Analysis of the Health Problem Overstatement Scale. Psychological Assessment, *21*(2), 219-226.
- Walters, G. D., Berry, D. T. R., Rogers, R., Payne, J. W., & Granacher, R. P. (2009). Feigned neurocognitive deficit: Taxon or dimension? Journal of Clinical and Experimental Neuropsychology, *31*(5), 584-593.
- Whitney, K. A., Davis, J. J., Shepard, P. H., Bertram, D. M., & Adams, K. M. (2009). Digit Span Age Scaled Score in Middle-Aged Military Veterans: Is It More Closely Associated with TOMM Failure than Reliable Digit Span? Archives of Clinical Neuropsychology, *24*(3), 263-272.
- Whitney, K. A., Davis, J. J., Shepard, P. H., & Herman, S. M. (2008). Utility of the Response Bias Scale (RBS) and other MMPI-2 validity scales in predicting TOMM performance. Archives of Clinical Neuropsychology, *23*(7-8), 777-786.
- Whitney, K. A., Shepard, P. H., Williams, A. L., Davis, J. J., & Adams, K. M. (2009). The Medical Symptom Validity Test in the evaluation of Operation Iraqi Freedom/Operation Enduring Freedom soldiers: A preliminary study. Archives of Clinical Neuropsychology, *24*(2), 145-152.
- Willison, J., & Tombaugh, T. N. (2006). Detecting simulation of attention deficits using reaction time tests. Archives of Clinical Neuropsychology, *21*(1), 41-52.

- Wygant, D. B., Sellbom, M., BenPorath, Y. S., Stafford, K. P., Freeman, D. B., & Heilbronner, R. L. (2007). The relation between symptom validity testing and MMPI-2 scores as a function of forensic evaluation context. Archives of Clinical Neuropsychology, *22*(4), 489-499.
- Wynkoop, T. F., Frederick, R. I., & Hoy, M. (2006). Improving the clinical utility of the SIRS cognitive items: Preliminary reliability, validity, and normative data in pretrial and clinical samples. Archives of Clinical Neuropsychology, *21*(7), 651-656.
- Yanez, Y. T., Fremouw, W., Tennant, J., Strunk, J., & Coker, K. (2006). Effects of severe depression on TOMM performance among disability-seeking outpatients. Archives of Clinical Neuropsychology, *21*(2), 161-165.